


Appendix 3. Screen shot of an electronic medication administration record and mismatched medication label. Both items reflect standard presentation at the time of the study, with no special designations for short- or long-acting formulations.

Medications and IV's

Medications and IV's	Date	Status
granisetron inj - 1 mg IVPB daily, Stop After 4 Times	2007-Nov-11 Routine	Pending
granisetron tab - 2 mg PO daily, Stop After 4 Times	2007-Nov-11 Routine	Pending
PRN diphenhydramine inj - 25 to 50 mg IVPB q4h PRN Pre-Blood Product infusion (if history of previous reaction)	2007-Nov-09 Routine	Active
PRN acetaminophen tab - 325 to 650 mg PO q4h PRN Pre-Blood Product infusion (if history of previous reaction)	2007-Nov-09 Routine	Active
oxycodone tab 5 mg PO q8h	2007-Nov-08 14:17	Active
venlafaxine XR cap - (Ordered as: EFFEXUR XR cap) / 75 mg PO daily	2007-Nov-08 Routine	Active
idarubicin inj - 21 mg [Calculation: 12 mg/m ² /DOSE x 1.74 m ² = 21 mg/Dose (Daily Total is 21 mg)] DIRECT IV over 10 minute(s) daily, DAY: 1,2,3, Stop After 3 Times	2007-Nov-08 10:00	Active



Supplementary data for Shultz J, Strosher L, Nathoo SN, Manley J. Avoiding potential medication errors associated with non-intuitive medication abbreviations. *Can J Hosp Pharm* 2011;64(4):246-251.

Copyright ©2011 Canadian Society of Hospital Pharmacists